

A STUDY ON THE DEVELOPMENT OF SYNTHESIS TOOL-KIT FOR FORM ANALYSIS ON USER

Min Young Choi¹ and Chang Young Lim²

¹Department of Product Design, Kyungsoo University, Busan, Korea, minychoi@ks.ac.kr

²Graduate School of Cultural Technology, Korea Advanced Institute of Science and Technology (KAIST), Daejeon, Korea, cylim@kaist.ac.kr

ABSTRACT:

Recently the studies on user-centered design and user-centered form-development have become issues of general interest as the key methods for successful design. For form analysis on user it is important needs that an integrated approach of existing methods and development of expert tool for designer. Moreover analysis methods and tools have to meet with designers needs of visual result, clear direction, concrete formative factor and designer-friendly interface. This study proposed the main concepts of synthesis tool; integrated management, variables set-up, visual result of analysis, in-depth analysis with data mining and correlation, and reinforcement of user-centered analysis. Specific analysis tool-kit consists of 5 functions: Project Management, Analysis Frame Set-up, Data Input-output, Basic Analysis, and In-depth Analysis. The feasibility of proposed tool was verified by a case study of mobile phone design in under-graduate class.

The Keyword: Form Analysis, Synthesis Tool-Kit, User-centered

1. INTRODUCTION

Recently the studies on user-centered design and user-centered form-development have become issues of general interest as the key methods for successful design. Designer should understand aesthetic, functional and emotional needs and represent to design concept and shape. For these, designers use various methods for form analysis on user and recognize as the core process in product design development (Brenda Laurel 2003). But unfortunately, the existing methods of form analysis on user still require highly specialized statistical skills and complicated procedures to designers. Because of that, designers uniformly use the only simple-method like Image-map, preference and shape-keyword. With only application of biased-methods, designer can not get so in-depth result of analysis as to fulfill the needs of designer and apply the design development. Therefore, the form analysis on user needs an integrated approach of existing methods, synthesis analysis-methods and development of expert tool for designer. Moreover analysis methods and tools have to meet with designers needs of visual result, clear direction, concrete formative factor and designer-friendly interface. Our discussion draw upon experience gained in the development of analysis tool and the educational-application for cellular phone design. The aim of this study is to explore the current methods, to formulate the system and guidance of form analysis on user, and to develop the expert-tool to adapt designer easily to analysis and apply the form of product design. In this study, we have researched, compared and categorized the various methods (Image-map, K-J map, Conjoint Analysis, Morphological Chart, Semantic Differentiated Analysis, Multi-Dimensional Scaling, and Cluster Analysis) from a practical point of view with design process. Especially, we have analyzed the relation with the result of each method and then developed an integrated frame for effective form analysis on user. After of all, we have proposed the main concepts of specific synthesis tool-kit which designers can apply on design development, visualize the results and management form analysis data on user.

2. ANALYSIS OF CURRENT METHODS

2. 1. METHODS FOR FORM ANALYSIS

The various methods for form analysis are divided into 4 categories; traditional methods with designers' intuition, gestalt methods with disassemble and composition of visual elements,

analytic methods with statistical research of social science and cognitive methods with emotion and perception of user.(Min Young Choi, Chang Young Lim and Youn Su Yoo 2006).




Figure 1: Classification of methods for form analysis.

Sketch is the most typical method for form analysis and development used by designer. Sketch methods expand range of designers' perception and simulate the overall form by sight (Nigel Cross 1989). Image-map is the methods for analysis of concrete shape and design keyword and support designer to grasp the meaning of correlation with shapes. But Image-map is not an accurate map by measurement of forms but mental map of designer by an outline of correlation (Lee Myung-Sik, Choi Chun-kyu and Koo Ja-Ryong2003).



Subfunction	Function element	Task	Principle of evaluation	Weight factor	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1. Offers space, supports protection for driver and luggage	Body and frame of car	Optimal form for car	Internal space	0.12						
2. Completes the power for transportation	Motor and start system	Optimal position for motor	Available space	0.18						
3. Supports protection in a safe and comfortable way	Seat	Optimal position for seats	Completeness of construction	0.18						
4. Offers space for luggage	Luggage space	Optimal position and degree of capacity of luggage system	Completeness	0.18						
5. For entry and exit	Doors	Optimal number, position and position of doors and windows	Facilities for entry and getting in	0.18						
6. Changes direction of car moving	Steering system	Optimal position of steering system	Position of motor	0.18						
Aesthetic evaluation				0.08	x	x	x	x	x	x
Cost evaluation				0.16	x	x	x	x	x	x
Safety evaluation				0.24	x	x	x	x	x	x
Total sum					3.48	3.96	6.84	6.96	5.22	5.64
Order of merit					9	7	3	2	10	8

Figure 2: Image-map (left) and Morphological Chart: (Nigel Cross 1984) (right).

The representative methods of gestalt approach are K-J map and Morphological Chart. K-J map is systematic meaning-analysis methods following to a way of thinking of brainstorming. The advantage of K-J map are that designer can make structure of complex information about form in

a short time with a point of expert view (R.D. Coyne 1990). K-J map applies not only a written words but also images as raw data to make a structure of information and Image-map. Morphological Chart is the methods to have a clear grasp of independent factor of form and explore possible alternatives through the compositions of factors and attributes (Zwicky F. 1967).




Figure 3: Conjoint analysis (left) and Preference measuring (right).

As analytic methods with statistics, designers put Preference measuring, Conjoint Analysis, Cluster Analysis and Multi-Dimensional Scaling (MDS) to practical use for form analysis on user. Preference measuring is used frequently for design-evaluation because of converting the qualitative value into quantitative value without difficulty. Conjoint Analysis can make it possible to find primary and fundamental factors of preference which can not be identified though preference measuring (Heo Myung-Hoi 2005). Especially, designers can make out the main factors and attributes of form and suggest alternatives of factional factorial design by composition of preferred factors and attributes of user. Cluster Analysis and Multi-Dimensional Scaling (MDS) are the methods to identify the features and correlations of design groups or individual designs by means of measuring of similarity (P.E. Green, and F.J. Carmone 1970). These methods present more objective analysis-result than K-J map or Image-map but make some difficulty to set the standard of similarity in form.




Figure 4: Cluster Analysis (left), MDS (center) and profile chart of Semantic Differentiate Scaling (right).

Cognitive and emotional methods are being watched with keen interest as the aspect of user-centered form analysis. Semantic Differentiate Scaling (SDS) makes a close investigation into user's emotional value by researching of semantic structure of epithets related to form (Charles E. Osgood, George J. Suci, and Percy H. Tannenbaum 1957). SDS is the influential methods to measure user's response in emotional design or kansei-engineering. Eye-tracking method is the representative way to apply bio-feed back to form analysis on user. Designer can easily understand the result of analysis because the result is visual and point out specific element of form (Min Young Choi 2003).

2. 2. ANAYSIS OF CURRENT METHODS

The methods for form analysis have various features referred to (Table 1) according to goals, objectives, input-data, output-results, the time required, and stage of process data.

Method	Main Goal	Input	Output	Feature	Direction
Sketch	Design direction concept, ideation	Image, Diagram	Design alternatives	Short time, Subjective Exploratory, Visual Overall-stage	To be objective To be Effective
Image-map	Design direction	Image, word	Feature Keyword	Short time, Subjective Visual, Early-stage	To be objective
K-J map	Design Key word	Image, word	Design keyword Target group	Visual, specialized, Short time, Iterative Early-stage	To need verification
Morphological Chart	Ideation of form Possible design	Factor and attribute	Structural alternatives	Creative and analytic thinking, Early-stage	To apply as input-variable
Preference measuring	Design evaluation	Image, Questionnaire	Preference mark	User-participatory Clear quantification Late-stage	To apply with other methods
Conjoint Analysis	Finding the main design element	Factor and attribute	Factional factorial design	Sub element oriented Gestalt approach Overall-stage	To apply as input-variables, Standards for selecting samples
Semantic Differentiated Scaling	Finding user's response and differentiated factor	Semantic words	Diagram, Design keyword Comparative result	User-participatory Comparative approach Verbal, Early-stage	To apply as input-variable with cluster analysis and MDS
Cluster Analysis	Design positioning Design direction	Comparative evaluation	One dimensional grouping	Objective, Overall-stage Comparative approach	To clearly define variables
Multi Dimensional Scaling	Design positioning Design direction	Comparative evaluation	Multi dimensional grouping	Objective, Comparative approach Visual, Overall-stage	To clearly define variables

Table 1: Analysis of current methods.

Synthetic methods like sketch and Image-map have some advantages of time-reduction, designer-friendly activity, but on the other hand have some disadvantages of subjective decision and difficulties of user participation. Analytic methods based on statistic give designer objective, expert, and user-participative approach, but on the other hand require specialized-skill and a lot of time. Generally, visual analysis is performed by sketch, Morphological Chart and Conjoint Analysis. Visual analysis is designer-oriented approach and improves creativity and deduction of synthesis alternatives. Verbal analysis is performed by Semantic Differentiated Scaling (SDS) and K-J map (McDougall and J.N.Fry 1975). Image-map, K-J map, Cluster Analysis, and MDS have a common feature of map-based problem-solving in a representative aspect. Map-based methods are possible to analyze on both side of visual and verbal aspect and attach importance to proper setting of input-variables.

Above-mentioned methods have relation to each other with mixed use according to stage of design process and goal of analysis. But, in reality, designers tend to make biased use of form analysis methods one by one, and to avoid applying complex methods for participation of user. Therefore these methods must have complementary relation to each other and be necessary to an integrated approach.

3. SYNTHESIS TOOL-KIT FOR FORM ANALYSIS ON USER

3. 1. INTEGRATED FRAME AND GUIDANCE

Integrated analysis frame is necessary for to development of synthesis and expert tool for designer. For these, current methods have to be re-classified integrated systems rather than one by one method and integrated frame should be set by analysis-goal, result types and specific application methods. Factor and attribute extracted by Morphological Chart, alternatives sampled by orthogonal planning of Conjoint Analysis, and semantic words on Semantic Differentiated Scaling (SDS) have important meaning to set the basic variables for form analysis on user. Systematic setting of the basic factor makes the result of analysis to be useful and practical. Visualization of the analysis results is also important to and map-based form is the most general types for visualization. Preference measuring is very simple methods for the evaluation of form through user-participatory and can be applied as data-mining standards for in-depth analysis connected with other methods. Data-mining (Heo Myung-Hoi and Lee Yong Gu 2003) is

necessary for in-depth analysis and make possible to find the fundamental features in all of visual aspect, verbal aspect and user aspect. As (Table 2) shows, form analysis on user is performed by 3 stage; the primary stage for variables set-up, the basic analysis, the in-depth analysis.

Especially, the integrated frame is proposed by the five guidance of integrated management, variables set-up through current method, visual result of analysis, in-depth analysis with data mining and correlation of separated methods, and reinforcement of user-centered analysis.

Stage	Objective	Specific method	Result	Advantage
Primary stage	Visual variable - Formative Variables - Sampling of image	Factor and Attribute by Morphological Chart Orthogonal Plan of Conjoint Analysis	Visual data-base	Objective variables setting Effective project setting Generalization of status
	Verbal variables - Semantic words	Extraction of Words by SDS	Verbal data base	Emotional approach Clear concept generation
	User variables - AIO	AIO	Persona	User participatory project setting
Basic Analysis	Designer-oriented direction	Image map by K-J methods	Design concept	Objective heuristic guidance
	User-oriented direction	Hierarchy map by Cluster Analysis Image map by MDS	Design concept	Standard of visual result
In-depth analysis	Formative Features	Data-mining by Preference measuring Extraction of formative value by Conjoint Analysis	Specific formative feature Preference group Optimal formative composition	Integrated result and analysis Clear direction Insight through specific visual result Clearing of ambiguous factors
	Semantic Features	Data-mining by Preference measuring Profile analysis by SD	Specific design keyword Preference group Emotional factor	
	User Features	Data-mining by Preference measuring	Specific user profile Target user persona	

Table 2: Integrated frame of synthesis tool for form analysis on user.

3. 2. DATA STRUCTURE FOR SYNTHESIS TOOL OF FORM ANALYSIS

For the development of specific tool, it is necessary to structure the various data of form analysis, and systematic data architecture becomes a basis of in-depth analysis. Data are consists of visual variables, verbal variables and user variables referred to (Table 2). Visual variables represent formative feature of form, and make visual samples (like picture, sketch and computer modeling) through the composition of factors and attributes of form. Verbal variables represent semantic and emotional feature of user's response and have a function as input data for map-based visual result. Verbal variables consists of 4 types words; basic, aesthetic, emotional, function words.

Visual samples have properties on both sides of visual and verbal variables and users evaluate visual samples in aspects of preference and semantic response.

Visual variables	Value A ~ N	X	Attribute a~n	Form Aa ~ Nn	Weighted Value
↓ about 20 Sampling image by Orthogonal Plan of Conjoint Analysis					
Visual sample (Image 1~ n)	Preference value		User 1~ n	Scaling 1-7	Filtering variable for data-mining
	Verbal variables	Word Aa ~ Dn	User 1~ n	Scaling 1-7	Variables for map-based visual result
	Visual variables	Form Aa ~ Nn	Value and Attribute	About 20 samples	Factional factorial design
↑ Extraction of semantic Words for user-evaluation					
Verbal variables	Basic	Word A1~ A2	Warm-Cool		7-10 semantic words
			Soft-Hard		
	Aesthetic words	Word B1~ Bn			
	Emotional words	Word C1~ Cn			
	Functional words	Word D1~ Dn			

Table 3: Data structure of synthesis tool for form analysis on user.

3. 3. FUNCTION AND INTERFACE OF SYNTHESIS TOOL-KIT

All components of analysis too-kit has designed by Adobe Flash 8.0 platform according to the 6 guidance; operating in same windows, serial task-flow, effectiveness of data-management, visualization of result, pop-up windows of in-depth analysis, designer-friendly operation data-of mining. Specific analysis method and tool consists of 5 components: Project Management, Analysis Variables Set-up, Data Input-Output, Basic Analysis, and In-depth Analysis. 'Project Management' and 'Variables set-up' help designer easily to make a structure of complex visual, verbal and user variables. 'Variable Set-up' creates visual value and attribute of 20 Sampling-images by Orthogonal Plan of Conjoint Analysis and assist to input visual sample.

'Data Input-Output' transforms raw data automatically for the interchange with external statistical program and data. 'Basic Analysis' is executed with preference analysis in visual chart based on image map and hierarchy in order to draw a concrete conclusion rapidly. 'In-depth Analysis' has functions of data-mining for getting specific concept, direction, and features for used centered form-development and embodies effective user interface through pop-up widows, list mode, direct image selection and comparative display. The filtering variables of 'In-depth Analysis' are selected by clicking of image or list with preference and semantic response of user.




Figure 5: Screen interface of synthesis tool-kit; set-up of visual variables(left-up), set-up of verbal variables (left-down), set-up of user variables (right-up), Input of visual sample (right-down).




Figure 6: Screen interface of synthesis tool-kit; Data Input-Output (left-up), Hierarchy view of Basic Analysis(left-down), Image-map View of Basic Analysis (right-up), In-depth Analysis (right-down).

4. PRELIMINARY TEST AND EVALUATION

The feasibility of proposed method and tool was verified by a case study of mobile phone design in under-graduate class. (Table 4) illustrates brief of preliminary test.

Contents		
Sample	About 20s Students : 40 persons (male 16, female 24)	
Period	2006.6.1 – 2006.6.6	
Visual Sample	20 sampled cellular phones and 10 additional alternatives	
Visual Variables	Outline	Square, Round, Round-Square
	Structure	Bar, Slide, Folder, Rotation
	Button Shape	Normal, Graphical, Graphic-Grid
	Color	Silver, Black, Silver-black, Color, White
	Material	Metal, EP
	Camera Location	Top, Center-back, Side
	Screen Type	Fix, Rotate
	Thickness	Slim, Normal, Heavy
Verbal Variables	Basic	Warm-Cool, Hard-Soft
	Emotion	Luxury-Popular, Young-Adult, Modern-Classic
	Function	Functional-Emotional, Unique-Typical
	Form	Complicate-Simple, Fast-Slow

Table 4: Brief of preliminary test.

Left of (Figure 7) shows the result of basic analysis on designer and mapping-shape is taken a serious view of the outline, surface finishing, and color according to expert aspect. Character 'A' means the points to keeping in mind. On the other hand, right of (Figure 7) shows the result of basic analysis on user and mapping-shape is dependent on thickness and structure of overall form. Image-mapping based on MDS and SDS increases the efficiency and objectivity. 'Basic Analysis' can make synthetic judgment possible because visual images and static results are provided in same windows. 'Basic Analysis' with user preference helps to find a clear border of design-direction and to accomplish comparative analysis according to user-groups (Catherine Courage and Kathy Baxter 2005). Left of (Figure 8) illustrates the case of female-user and mapping shape is different from right of (Figure 7). Female-user points out bright color and simple shape as preference-factor of form. Right of (Figure 8) is a sample which illustrated by the hierarchy view of analysis result. Hierarchy view provides more clear border-line and boundary of preference among design alternatives.




Figure 7: 'Basic Analysis'; the result on designers (left), the result on user (right).



Figure 8: 'Basic Analysis'; the result on female-user (left), hierarchy view of the result on user (right).




Figure 9: 'In-depth Analysis'; Semantic feature (left), Formative feature (right).

'In-depth Analysis' of form analysis on user provides formative, semantic and user features in detail. (Figure 9) shows that 'Cool, Hard, Simple, Luxury, Fast, Unique' is closely related to preference. Especially, 'Cool, Luxury, Unique' is the keywords representing semantic features and 'Simple, Fast' is index of dividing the border of preference and non-preference. 'In-depth Analysis' on formative features revealed that 'Thickness' and 'Structure' are significant of visual factor and users respond positively to slim, non-graphical button shape, and round-square.

5. CONCLUSION AND FUTURE WORKS

In this study, we have suggested the frame and guidance integrated with various methods for form analysis and some concept for synthesis analysis tool-kit. In the concrete, synthesis tool for form analysis was performed by 3 stage (the primary stage for variables set-up, the basic analysis, and the in-depth analysis) and was developed by the five guidance (integrated management, variables set-up through current method, visual result of analysis, in-depth analysis with data mining and correlation of separated methods, and reinforcement of user-centered analysis). Tool-kit was designed through integrated data-structure and 5 functional components. The proposed tool-kit will be used for design concept, direction of style, trend analysis and successful alternative-evaluation. Especially, image-map oriented visualization of analysis-result and 'In-depth Analysis' with data-mining support designer to performed practical works substantially. At the aspect of education, students leading preliminary test effectively used tool with minimum effort and time, in their own research work and the result of analysis was concrete, objective, practical and expressed tangibly, so that designers could clear of an obscure form-matter in the previous research. Moreover, the proposed tool-kit can be applied to user-research, other field of design analysis and estimation of design similarity.

However, synthesis tool-kit has some improvements for developing as designer-expert tool and has need of more specific statistic-function and differentiated function classified by product. Also, it is necessary to develop a manual or tutorial and research on the application of tool-kit in various practical design studies.

REFERENCES:

Brenda Laurel (2003) Design Research, THE MIT PRESS p70

Min Young Choi, Chang Young Lim and Youn Su Yoo (2006) A Study on Integrated Methods for Morphological Analysis in Product Design, Proceeding of the 2nd Semi-annual Design Conference of KSDS, Korea, October 27-28, p206-207

Nigel Cross (1989) Engineering Design Method, John Wiley & Sons, p74

Lee Myoung-Sik, Choi Chun-kyu and Koo Ja-Ryong (2003) Marketing Research, Hyung Seol, p235

R.D. Coyne (1990) Knowledge Based Design Systems, Addison-Wesley, New York, Part1-2

Zwicky F (1967) The Morphological Approach to Discovery, Invention, Research and Construction, Symposium on Methodologies, p316

Heo Myung-Hoi (2005) SPSS Classification Analysis, SPSS, Chpter 5

P.E. Green, and F.J. Carmone (1970) Multi Dimensional Scaling and Related Technique in Marketing Analysis, Allyn&Bacon, p23

Charles E. Osgood, George J. Suci, and Percy H. Tannenbaum (1957) The Measurement of Meaning, University of Illinois Press

Min Young Choi (2003) A Study on the Methods of Eye Tracking Analysis Based on the Properties in Visual Perception of User, Journal of Korean Society of Design Science, Vol16. No4, p199

McDougall and J.N.Fry (1975) Combining Two Methods of Image Measurement, Journal of Retailing, Vol50, p60

Heo Myung-Hoi and Lee Yong Gu (2003) Data-mining modeling, SPSS, Chapter 5

Catherine Courage and Kathy Baxter (2005) Understanding Your User, Morgan Kaufmann